

## Message

**From:** Aburano, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5058D128E7854B4895441FF23C8F6C01-DABURANO]  
**Sent:** 3/9/2017 7:06:04 PM  
**To:** D'Agostino, Kathleen [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=d72bb5826e5a423f99c8f934b7441437-KDagosti]; Mooney, John [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=3acdc64b498442d487dfd543a9c4d40a-Jmoone02]; Liljegren, Jennifer [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=c7098a838cd34f75b8878571fe95d939-JLiljegr]  
**Subject:** RE: New CMS Control: AL-17-000-5406

## Deliberative Process / Ex. 5

**From:** D'Agostino, Kathleen  
**Sent:** Thursday, March 09, 2017 12:36 PM  
**To:** Aburano, Douglas <aburano.douglas@epa.gov>; Mooney, John <Mooney.John@epa.gov>; Liljegren, Jennifer <Liljegren.Jennifer@epa.gov>  
**Subject:** FW: New CMS Control: AL-17-000-5406  
**Importance:** High

It looks like Rhea's group may have been assigned the control for the Sheboygan letter from Grothman & Johnson. I expect we may be asked to help with the response.

---

Kathleen D'Agostino  
 Environmental Engineer  
 U.S. EPA Region 5  
 312-886-1767  
[dagostino.kathleen@epa.gov](mailto:dagostino.kathleen@epa.gov)

---

**From:** Scott, Denise  
**Sent:** Thursday, March 09, 2017 12:23 PM  
**To:** D'Agostino, Kathleen <[dagostino.kathleen@epa.gov](mailto:dagostino.kathleen@epa.gov)>; Wells, Benjamin <[Wells.Benjamin@epa.gov](mailto:Wells.Benjamin@epa.gov)>  
**Subject:** FW: New CMS Control: AL-17-000-5406  
**Importance:** High

Please see my note to Jan and Derek OGC below. Rhea is out this week, I'm sure we will be contacting you early next week to discuss.

Regards,  
 Denise

---

**From:** Scott, Denise  
**Sent:** Wednesday, March 08, 2017 1:39 PM  
**To:** Tierney, Jan <[tierney.jan@epa.gov](mailto:tierney.jan@epa.gov)>; Mills, Derek <[Mills.Derek@epa.gov](mailto:Mills.Derek@epa.gov)>  
**Cc:** Oldham, Carla <[Oldham.Carla@epa.gov](mailto:Oldham.Carla@epa.gov)>; Jones, Rhea <[Jones.Rhea@epa.gov](mailto:Jones.Rhea@epa.gov)>  
**Subject:** FW: New CMS Control: AL-17-000-5406  
**Importance:** High

Good Afternoon,

I wanted to send the attached control correspondence that I received today regarding Sheboygan County. I have requested an extension but we will need to start working on a response soon. Rhea is out till Monday.

Regards,  
Denise

---

**From:** Miller, Patricia  
**Sent:** Wednesday, March 08, 2017 12:59 PM  
**To:** Scott, Denise <[Scott.Denise@epa.gov](mailto:Scott.Denise@epa.gov)>  
**Cc:** Johnson, Yvonne W <[Johnson.Yvonnéw@epa.gov](mailto:Johnson.Yvonnéw@epa.gov)>; Long, Pam <[Long.Pam@epa.gov](mailto:Long.Pam@epa.gov)>  
**Subject:** New CMS Control: AL-17-000-5406  
**Importance:** High

Hi Denise,

Attached you will find a new control for GSG to respond to by March 14. If you feel that you will not be able to meet this deadline, please let me know if you need an extension for more time to complete it and the exact reason why not.

Thanks and if you have more questions, please see Yvonne or myself.

*Thank you.*

Pat Miller  
OAQPS, AQPD, NSRG  
(919) 541-3681